

Author index

- AARS, H., BRODIN, P. & ANDERSEN, E. A study of cholinergic and β -adrenergic components in the regulation of blood flow in the tooth pulp and gingiva of man, 441
- ABDEL-HALIM, S. M., GUENIFI, A., EFENDIĆ, S. & ÖSTENSON, C.-G. Both somatostatin and insulin responses to glucose are impaired in the perfused pancreas of the spontaneously noninsulin-dependent diabetic GK (Goto-Kakizaki) rats, 219
- ALBERT, U. *see* EKELEND, U.
- ÄLM, P. *see* ZYGMUNT, P. K. E.
- ÄLM, P., LARSSON, B., EKBLAD, E., SUNDLER, F. & ANDERSSON, K.-E. Immunohistochemical localization of peripheral nitric oxide synthase-containing nerves using antibodies raised against synthesized C- and N- terminal fragments of a cloned enzyme from rat brain, 421
- ANDERSSON, K.-E. *see* AARS, H.
- ANDERSSON, K.-E. *see* ÄLM, P.
- APERIA, A. *see* HOLTBACK, U.
- AERIA, A. *see* ÖSTLUND, E.
- ARBORELIUS, L., NOMIKOS, G. G., HACKSELL, U. & SVENSSON, T. H. (R)-8-OH-DPAT preferentially increases dopamine release in rat medial prefrontal cortex, 465
- BACH, F. W. *see* MATZEN, S.
- BERG, H. E., TEDNER, B. & TESCH, P. A. Changes in lower limb muscle cross-sectional area and tissue fluid volume after transition from standing to supine, 379
- BILL, A. *see* GRANSTAM, E.
- BIRKELAND, S. *see* HEXEBERG, E.
- BJØRNSTAD, H., TANDE, P. M. & REFSUM, H. Mechanisms for hypothermia-induced increase in contractile force studied by mechanical restitution and post-rest contractions in guinea-pig papillary muscle, 253
- BONGIANNI, F., CORDA, M., FONTANA, G. A. & PANTALEO, T. Excitatory and depressant respiratory responses to chemical stimulation of the rostral ventrolateral medulla in the cat, 315
- BOUSKELA, E. *see* MORITA-TSUZUKI, Y.
- BRODIN, E. *see* SJÖQVIST, A.
- BRODIN, P. *see* AARS, H.
- BROWN, H. F. *see* PATERSON, D. J.
- BRUNSSON, I. *see* SJÖQVIST, A.
- CELSI, G. *see* HOLTBACK, U.
- CHRISTENSEN, G. *see* NÆSS, P. A.
- CLARKE, J. R. *see* TAYLOR, N.
- CORDA, M. *see* BONGIANNI, F.
- CRENSHAW, A. G., FRIDÉN, J., HARGENS, A. R., LANG, G. H. & THORNELL, L.-E. Increased technetium uptake is not equivalent to muscle necrosis: scintigraphic, morphological and intramuscular pressure analysis of sore muscles after exercise, 187
- DORRINGTON, K. L. *see* VEJLSTRUP, N. G.
- DURAND, J. *see* ENGBERG, I.
- EDFELT, H. & LUNDVALL, J. Sympathetic baroflex control of vascular resistance in comfortably warm man. Analyses of neurogenic constrictor responses in the resting forearm and in its separate skeletal muscle and skin tissue compartments 965
- EDVINSSON, L. *see* EKELEND, U.
- EFENDIĆ, S. *see* ABDEL-HALIM, S. M.
- EIKEN, O. *see* ESBJÖRNSSON, M.
- EIKEN, O. *see* SUNDBERG, C. J.
- EINARSSON, S. *see* ROJKITTIKHUN, T.
- EKBLAD, E. *see* ÄLM, P.
- EKBLAD, E. *see* THORUP, C.
- EKELEND, U., ALBERT, U., EDVINSSON, L. & MELLANDER, S. *In vivo* effects of endothelin-1 and ET_A receptor blockade on arterial, venous and capillary functions in skeletal muscle, 273
- ELLISON, D. *see* MORSING, P.
- ENGBERG, I., TARNAWA, I., DURAND, J. & OUARDOUZ, M. An analysis of synaptic transmission to motoneurons in the cat spinal cord using a new selective receptor blocker, 97
- ESBJÖRNSSON, M., JANSSON, E., SUNDBERG, C. J., SYLVÉN, C., EIKEN, O., NYGREN, A. & KAIJSER, L. Muscle fibre types and enzyme activities after training with local leg ischaemia in man, 233
- FERNANDES, M. H. *see* SOARES-DA-SILVA, P.
- FIHN, B.-M. *see* SJÖQVIST
- FONTANA, G. A. *see* BONGIANNI, F.
- FRIDÉN, J. *see* CRENshaw, A. G.
- FRIMAN, S. *see* NILSSON, B.
- FUJII, N., MIYAZAKI, H., HOMMA, S. & IKEGAMI, H. Dynamic exercise induces translocation of β -adrenergic receptors in human lymphocytes, 463
- GANGULY, D. K. *see* MAITRA, K. K.
- GODDEN, D. J. *see* MURCHIE, P.
- GRANSTAM, E., WANG, L. & BILL, A. Vascular effects of endothelin-1 in the cat; modification by indomethacin and L-NAME, 165

- GUENIFI, A. *see* ABDEL-HALIM, S. M.
 GUSTAFSSON, H., MULVANY, M. J. & NILSSON, H. Rhythmic contractions of isolated small arteries from rat: influence of endothelium, 153
- HACKSELL, U. *see* ARBORELIUS, L.
 HAFSTRÖM, I., RINGERTZ, B., LUNDEBERG, T. & PALMBLAD, J. The effect of endothelin, neuropeptide Y, calcium gene-related peptide and substance P on neutrophil functions, 341
 HÄKKINEN, K. & PAKARINEN, A. Muscle strength and serum testosterone, cortisol and SHBG concentrations in middle-aged and elderly men and women, 199
 HAMMEL, H. T. *see* MERCER, J. B.
 HÄNNINEN, O. *see* SEN, C. K.
 HARDEBO, J. E. *see* MORITA-TSUZUKI, Y.
 HARGENS A. R. *see* CRENSHAW, A. G.
 HELLSTRAND, P. *see* NILSSON, B.-O.
 HELLSTRAND, P. *see* SWÄRD, K.
 HEXEBERG, E., BIRKELAND, S. & MATRE, K. Non-uniformity of two-dimensional myocardial deformation in response to chronotropic and inotropic stimulation in cats, 455
 HJELMQVIST, H. *see* ULLMAN, J.
 HOLTBACK, U., APERIA, A. & CELSI, G. High salt alone does not influence the kinetics of the Na⁺-H⁺ antiporter, 55
 HOMMA, S. *see* FUJII, N.
 HU, B. Membrane potential oscillations and corticothalamic connectivity in rat associational thalamic neurons *in vitro*, 109
 HU, P.-S. On the usefulness of Fura-2 measurements of intrasynaptosomal calcium levels in rat cortical synaptosomes to study mechanisms of presynaptic function, 115
- Ikegami, H. *see* FUJII, N.
- JANSSON, E. *see* ESBJÖRNSSON, M.
 JODAL, M. *see* SJÖQVIST, A.
 JOHNSTONE, P. W. *see* MURCHIE, P.
 JOSEFSSON, M. *see* SWÄRD, K.
- KAIJSER, L. *see* ESBJÖRNSSON, M.
 KAIJSER, L. *see* SUNDBERG, C. J.
 KAILA, K. *see* PASTERNAK, M.
 KHAYUTIN, V. M., NIKOLSKY, V. P., ROGOZA, A. N. & LUKOSHKOVA, E. V. Endothelium determines stabilization of the pressure drop in arteries, 295
 KHAYUTIN, V. M., NIKOLSKY, V. P., ROGOZA, A. N. & LUKOSHKOVA, E. V. The effect of pressure drop stabilization in arteries during variations in blood flow rate, 285
 KIIL, F. *see* NÆSS, P. A.
 KIIL, F. *see* STOKKE, E. S.
 KIRKBOEN, K. A. *see* NÆSS, P. A.
 KIZAKI, T. *see* OHNO, H.
- KNIGGE, U. *see* MATZEN, S.
- LANG G. H. *see* CRENSHAW, A. G.
 LANGBERG, H. C. *see* STOKKE, E. S.
 LARSSON, B. *see* ALM, P.
 LARSSON, K. E. *see* ZYGMUNT, P. K. E.
 LARSSON, S. H. *see* ÖSTLUND, E.
 LOU, F. & SUN, Y.-B. The high-force region of the force-velocity relation in frog skinned muscle fibre, 243
 LUNDEVALL, J. *see* EDFELT, H.
 LUKOSHKOVA, E. V. *see* KHAYUTIN, V. M.
 LUNDBERG, J. M. *see* MODIN, A.
 LUNDEBERG, T. *see* HAFSTRÖM, I.
 LUNDEBERG, T. *see* ULFENDAHL, M.
 LUNDGREN, O. *see* SJÖQVIST, A.
 LYDRUP, M.-L. *see* SWÄRD, K.
 LYNCH, G. S., STEPHENSON, D. G. & WILLIAMS, D. A. Muscle samples obtained by needle biopsy are suitable for studying single fibre contractile properties, 27
- MAITRA, K. K., SETH, P., THEWISSEN, M., ROSS, H.-G. & GANGULY, D. K. Dopaminergic influence on the excitability of antidromically activated Renshaw cells in the lumbar spinal cord of the rat, 101
 MARKUSSEN, N. H. *see* MUNCH, I. C.
 MATRE, K. *see* HEXEBERG, E.
 MATZEN, S., SECHER, N. H., KNIGGE, U., BACH, F. W. & WARBERG, J. Effect of diazepam on endocrine and cardiovascular responses to head-up tilt in humans, 143
 MELLANDER, S. *see* EKELEND, U.
 MERCER, J. B. & HAMMEL, H. T. The shivering response during cross-circulation in the common eider duck (*Somateria mollissima*), 327
 MIYAZAKI, H. *see* FUJII, N.
 MIZUSAWA, H. *see* OMOTE, M.
 MODIN, A., PERNOW, J. & LUNDBERG, J. M. Sympathetic regulation of skeletal muscle blood flow in the pig: a non-adrenergic component likely to be mediated by neuropeptide Y, 1
 MORITA-TSUZUKI, Y., BOUSKELA, E. & HARDEBO, J. E. Effects of nitric oxide synthesis blockade and angiotensin II on blood flow and spontaneous vasomotion in the rat cerebral microcirculation, 441
 MORSING, P., VELAZQUEZ, H., ELLISON, D. & WRIGHT, F. S. Resetting of tubuloglomerular feedback by interrupting early distal flow, 63
 MULVANY, M. J. *see* GUSTAFSSON, H.
 MUNCH, I. C., MARKUSSEN, N. H. & ØRITSLAND, N. A. Resting oxygen consumption in rats during food restriction, starvation and refeeding, 335
 MURCHIE, P., JOHNSTONE, P. W., ROSS A. S. & GODDEN, D. J. Effects of hyperoxia on bronchial wall dimensions and lung mechanics in rats, 363

- NÆSS, P. A. *see* STOKKE, E. S.
- NÆSS, P. A., CHRISTENSEN, G., KIRKBØEN, K. A. & KIIL, F. Effect on renin release of inhibiting renal nitric oxide synthesis in anesthetized dogs, 137
- NÆSS, P. A., CHRISTENSEN, G. & KIIL, F. Inhibitory effect of endothelin on renin release in dog kidneys, 131
- NIKOLSKY, V. P. *see* KHAYUTIN, V. M.
- NILSSON *see* GUSTAFSSON
- NILSSON, B., RÅDBERG, G., FRIMAN, S., THUNE, A. & SVANVIK, J. *In vivo* regulation of mucosal transport of H^+ and HCO_3^- in the feline gall bladder, 403
- NILSSON, B.-O. & HELLSTRAND, P. Effects of polyamines on intracellular calcium on mechanical activity in smooth muscle of guinea-pig taenia coli, 37
- NILSSON, H. *see* GUSTAFSSON, H.
- NOMIKOS, G. G. *see* ARBORELIUS, L.
- NYGREN, A. *see* ESBJÖRNSSON, M.
- NYGREN, A. *see* SUNDBERG, C. J.
- OHNO, H., YAMASHITA, H., OOKAWARA, T., SATO, Y., TANIGUCHI, N. & KIZAKI, T. Effect of physical exercise on urinary excretion of CuZn-superoxide dismutase in male high school students, 353
- OOKAWARA, T. *see* OHNO, H.
- ØRITSLAND, N. A. *see* MUNCH, I. C.
- ØSTENSEN, J. *see* STOKKE, E. S.
- ØSTENSON, C.-G. *see* ABDEL-HALIM, S. M.
- ÖSTLUND, E., LARSSON, S. H., WROBLEWSKI, R., WROBLEWSKI, J. & APERIA, A. Growth regulation of LLC-PK₁ cells: lack of effect of Na^+ -loading, 77
- QUARDOUZ, M. *see* ENGBERG, I.
- ÖZTÜRK, N. An approach for measurement of tension transient responses to smooth muscle during their spontaneous contractions, 227
- PACHÁ, J. & POHLOVÁ, I. The influence of high salt intake on intestinal Na,K -ATPase in Wistar and Dahl rats, 69
- PAKARINEN, A. *see* HÄKKINEN, K.
- PALMBLAD, J. *see* HAFSTRÖM, I.
- PANTALEO, T. *see* BONGIANNI, F.
- PASTERNAK, M., VOIPPIO, J. & KAILA, K. Intracellular carbonic anhydrase activity and its role in GABA-induced acid transients in isolated rat hippocampal pyramidal neurones, 229
- PATERSON, D. J., ROGERS, J., POWELL, T. & BROWN, H. F. Effect of catecholamines on the ventricular myocyte action potential in raised extracellular potassium, 177
- PAYNE, G. *see* PERKO, G.
- PERKO, G., PAYNE, G. & SECHER, N. H. An indifference point for electrical impedance in humans, 125
- PERNOW, J. *see* MODIN, A.
- PERSSON, A. E. G. *see* THORUP, C.
- PERSSON, K. *see* ZYGMUNT, P. K. E.
- PESTANA, M. *see* SOARES-DA-SILVA, P.
- POHLOVÁ, I. *see* PACHÁ, J.
- POWELL, T. *see* PATERSON, D. J.
- QUARDOUZ, M. *see* ENGBERG, I.
- RÅDBERG, G. *see* NILSSON, B.
- RAHKILA, P. *see* SEN, C. K.
- REFSUM, H. *see* BJØRNSTAD, H.
- RINGERTZ, B. *see* HAFSTRÖM, I.
- ROGERS, J. *see* PATERSON, D. J.
- ROGOZA, A. N. *see* KHAYUTIN, V. M.
- ROJIKITTICHUN, T., UVNÄS-MOBERG, K. & EINARSSON, S. Plasma oxytocin, prolactin, insulin and LH after 24 h of fasting after refeeding in lactating sows, 413
- ROSS, A. S. *see* MURCHIE, P.
- ROSS, H.-G. *see* MAITRA, K. K.
- RUNDGREN, M. *see* ULLMAN, J.
- SATCHELL, P., WATSON, E. & VAUGHAN, C. Prodromal contractions and contractility in the feline bladder, 209
- SATO, Y. *see* OHNO, H.
- SCARFONE, E. *see* ULFENDAHL, M.
- SECHER, N. H. *see* MATZEN, S.
- SECHER, N. H. *see* PERKO, G.
- SEN, C. K., RAHKILA, P. & HÄNNINEN, O. Glutathione metabolism in skeletal muscle derived cells of the L6 line, 21
- SETH, P. *see* MAITRA, K. K.
- SJÖQVIST, A., BRUNSSON, I., THEDORSON, E., BRODIN, E., JODAL, M. & LUNDGREN, O. On the involvement of tachykinin neurons in the secretory nervous reflex elicited by cholera toxin in the small intestine, 387
- SJÖQVIST, A. & FIHN, B.-M. Transcellular fluid secretion induced by cholera toxin and vasoactive intestinal polypeptide in the small intestine of the rat, 393
- SOARES-DA-SILVA, P., FERNANDES, M. H. & PESTANA, M. A comparative study on the synthesis of dopamine in the human, dog and rat family, 347
- STEPHENSON, D. G. *see* LYNCH, G. S.
- STOKKE, E. S., NÆSS, P. A., ØSTENSEN, J., LANGBERG, H. C. & KIIL, F. Plasma potassium concentration as a determinant of proximal tubular $NaCl$ and $NaHCO_3$ reabsorption in dog kidneys, 45
- SUN, Y.-B. *see* LOU, F.
- SUNDBERG, C. J. *see* ESBJÖRNSSON, M.
- SUNDBERG, C. J., EIKEN, O., NYGREN, A. & KAIJSER, L. Effects of ischaemic training on local aerobic muscle performance in man, 13
- SUNDLER, F. *see* ALM, P.
- SUNDLER, F. *see* THORUP, C.
- SVANVIK, J. *see* NILSSON, B.
- SVENSSON, T. H. *see* ARBORELIUS, L.
- SWÄRD, K., JOSEFSSON, M., LYDRUP, M.-L. & HELLSTRAND, P. Effects of metabolic inhibition on

- cytoplasmic calcium and contraction in smooth muscle of rat portal vein, 265
SYLVÉN, C. *see* ESBJÖRNSSON, M.
- TANDE, P. M. *see* BJÖRNSTAD, H.
TANIGUCHI, N. *see* OHNO, H.
TARNAWA, I. *see* ENGBERG, I.
- TAYLOR, N. & CLARKE, J. R. Pulmonary function hysteresis during compression to, and decompression from, 31.3 ATA, 371
TEDNER, B. *see* BERG, H. E.
TESCH, P. A. *see* BERG, H. E.
THEDORSON, E. *see* SJÖQVIST, A.
THEODORSSON, E. *see* ULFENDAHL, M.
THEWISSEN, M. *see* MAITRA, K. K.
THORNELL, L.-E. *see* CRENSHAW, A. G.
THORUP, C., SUNDLER, F., EKBLAD, E. & PERSSON, A. E. G. Resetting of tubuloglomerular feedback mechanism by blockade of NO-synthesis, 359
THUNE, A. *see* NILSSON, B.
- ULFENDAHL, M., LUNDEBERG, T., SCARFONE, E. & THEODORSSON, E. Substance P in the guinea-pig hearing organ, 357
ULLMAN, J., HJELMQVIST, H. & RUNDGREN, M. Effects of reduced CSF Na concentration and osmolality on haemodynamic and humoral responses to hypotensive haemorrhage in conscious sheep, 85
UVNÄS-MOBERG, K. *see* ROJKITTIKHUN, T.
- VAUGHAN, C. *see* SATCHELL, P.
VEJLSTRUP, N. G. & DORRINGTON, K. L. Intense slow hypoxic pulmonary vasoconstriction in gas-filled and liquid-filled lungs: an *in vivo* study in the rabbit, 305
VELAZQUEZ, H. *see* MORSING, P.
VOIPIO, J. *see* PASTERNAK, M.
- WANG, L. *see* GRANSTAM, E.
WARBERG, J. *see* MATZEN, S.
WATSON, E. *see* SATCHELL, P.
WILLIAMS, D. A. *see* LYNCH, G. S.
WRIGHT, F. S. *see* MORSING, P.
WROBLEWSKI, J. *see* ÖSTLUND, E.
WROBLEWSKI, R. *see* ÖSTLUND, E.
- YAMASHITA, H. *see* OHNO, H.
- ZYGMUNT, P. K. E., PERSSON, K., ALM, P. & LARSSON, K. E. THE L-arginine/nitric oxide pathway in the rabbit urethral lamina propria, 431

Subject index

- Acetazolamide, 45
Acetylcholine, 153
ACTH, 143
Action potential, 177
 β -adrenergic receptor, 463
Aggregation, 341
Aging, 199
Airway, 363
Airway reactivity, 363
Aldosterone, 69
Amiloride, 45, 403
AMPA, 97
Angiotensin, 441
Angiotensin II, 85
Antioxidant exercise, 21
Apomorphine, 101
Arginine, 219
Arterial blood pressure, 315
Arteries, 285
Arteriolar vasomotion, 441
Artery, 153
Autoregulation, 441
Averaging, 227

Bay-K 8644, 253
BBMV, 55
Bed rest, 379
Benzodiazepines, 143
Beta-endorphin, 143
Bioelectrical impedance analysis, 379
Biphasic, 243
Bladder, 209
Blood flow rate, 285
Blood-flow restriction, 13
Bradycardia, 143
Brain, 165
Bumetanide, 45

C-jun, 77
 Ca^{2+} antagonists, 115
 Ca^{2+} -channels, 115
Calcitonin gene-related peptide, 341
Calcium, 37, 177, 265, 341
Calcium and strontium activation, 27
Calcium concentration, 243
cAMP, 463
Capillaries, 233
Capsaicin, 357
Carbonic anhydrase, 229
Carbonic anhydrase activity, 45
Cat spinal motoneurons, 97

Catecholamines, 143, 177
CCK, 413
Cerebral blood flow, 441
Chemiluminescence, 341
Chemotaxis, 341
Cholera secretion, 387
Cholera toxin, 387
Cholinergic vasodilation, 441
Cold pressor test, 441
Computerized tomography, 379
Contractile force, 253
Contractility, 209
Control of breathing, 315
Corticothalamic, 109
Cortisol, 143
Cross-bridge kinetics, 243
Cross-circulation, 327
CSF composition, 85
CuZn-superoxide dismutase, 353
Cyanide, 265
5'-cyclic monophosphate, 153

D,L-homocysteic acid, 315
Dahl rats, 69
Diffusion, 393
Dimensions, 363
Distal nephron, 63
Diving, 371
DNA-synthesis, 77
Dog, 347
DOPAC, 347
Dopamine, 347, 465
Dopaminergic modulation, 101
Dorsal respiratory group, 315
Downhill running, 187

Eider duck, 327
Endothelin, 341
Endothelin-1 (ET-1), 165
Endotheliocytes, 295
Endothelium, 285
Endothelium-derived contracting factor, 273
Endothelium-derived relaxing factor (EDRF), 137, 153
Endurance exercise, 13
Enteric nervous system, 387
ET_A receptor antagonist, 273
Exercise, 21, 177, 353, 463
Exercise physiology, 27
Explant, 109
Extreme endurance, 187

- Fasting, 413
Fast-twitch fibres, 233
Feeding, 413
Feline, 209
Females, 199
Fibre cross-sectional areas, 233
Fibre necrosis, 187
Flow rate, 295
Flow-volume loops, 371
Fluid shifts, 379
Food restriction, 335
Force-velocity relation, 243
Fura-2, 115
- Gall bladder, 403
Gamma-aminobutyric acid, 229
Gamma-glutamyl cycle, 21
Gas density, 371
GK rats, 219
Glucose, 219
Glutathione, 21
Growth, 77
Guanosine 3', 153
GYKI 52466, 97
- Haemorrhage, 85
 HCO_3^- secretion, 403
Healthy subjects, 13
Hearing organ, 357
Heart, 177
Heart rate, 125
High-force region, 243
High-salt diet, 55, 69
5-HT_A receptors, 465
Human, 347
Human skeletal muscle, 187
Humidity, 363
Hyperbaric, 371
Hyperbolic, 243
Hypogastric nerve, 209
Hypotension, 85, 441
Hypothermia, 253
Hypovolaemia, 143
Hypoxia, 13, 265
Hypoxic pulmonary vasoconstriction, 305
 H^+ secretion, 403
- Ia EPSP, 97
Immunohistochemistry, 421
Indomethacin, 131
Indomethacin, 165
Insulin, 219, 413
Intermittent claudication, 13
Intestinal secretion, 387
Intestine, 69
Intracellular Ca^{2+} , 115
Intracellular pH, 229
Intracellular recordings, 109
- Intracerebroventricular, 165
Intravenous, 165
Ionic strength, 243
Ischaemic training, 13
Isometric hand grip, 441
Isoprenaline, 455
Isoproterenol, 131
- Juxtaglomerular apparatus, 359
- Kidney, 63, 77, 347
- Lamina propria, 431
Laser Doppler flowmetry, 441
Leg positive pressure, 13
Length perturbation, 227
LH, 413
Local regulation, 285
Lower body positive pressure, 13
Lung oxygen toxicity, 363
Lung volumes, 371
Lymphocyte, 463
L-DOPA, 347
L-NAME, 165
- Macula densa cells, 359
Males, 199
Maximal voluntary ventilation, 371
Mechanical restitution, 253
Medial prefrontal cortex, 465
Mellitus, 219
Membrane potential, 153
Metabolic depression, 335
Metabolism, 265
Microcirculation, 273, 441
Micropuncture, 63
Mitochondrial crystalloids, 187
Muscle mass, 379
Muscle strength, 199
Muscular dystrophy, 27
Myoblast, 21
Myocardial blood flow, 455
Myocardial contraction, 455
- Na,K-ATPase, 69
NADPH diaphorase, 431
 Na^+/H^+ antiporter, 55
 Na^+/H^+ ion exchanger, 403
Na-Ca exchange, 253
Needle biopsy, 27
Neuropeptide Y, 1
Neuropeptide Y, 341
Neutrophils, 341
 N^G -nitro-L-arginine, 137
Nitric oxide, 137, 431, 441
Nitric oxide synthase, 421
NMDA, 97
Noninsulin-dependent diabetes, 219

- Non-adrenergic non-cholinergic vasodilation, 441
 Non-micturating contractions, 209
 Noradrenaline, 1, 153
 NO-blockade, 359
 NO-synthase, 359
 NPY receptors, 1
 Nucleus paragigantocellularis lateralis, 315

 Oedema formation, 273
 8-OH-DPAT, 465
 One-legged cycle exercise, 13
 Oscillations, 109, 153
 Ouabain, 253
 Oxidative stress, 21
 Oxygen consumption, 335
 Oxytocin, 413

 Pacing, 455
 Peak expiratory flow, 371
 Perfused rat pancreas, 219
 Perfusion pressure, 13
 Peripheral nerves, 421
 Permeability, 393
 Phosphoramidon, 273
 PMN, 341
 Post-rest, 253
 Post-tetanic potentiation, 101
 Potassium, 177
 Pressure drop, 285, 295
 Presynaptic receptors, 115
 Presyncope, 143
 Prodromal phase, 209
 Prolactin, 143, 413
 Propranolol, 131
 Proteinuria, 353
 Proto-oncogenes, 77
 Proximal tubular reabsorption, 45
 Proximal tubular stop flow pressure, 359
 Proximal tubule cells, 77
 Pulmonary blood flow, 305
 Pulmonary shunt, 305
 Putrescine, 37

 Rabbit, 431
 Radiological density, 379
 Rat, 109, 153, 347, 421
 Rat hippocampal neurones, 229
 Rats, 335
 Refeeding, 335
 Regional blood flow, 165
 Relaxation, 37, 431
 Renal arterial constriction, 131, 137
 Renal function, 359
 Renin, 85
 Renin release, 137
 Renshaw cells, 101
 Resistance arteries, 295
 Respiration, 315
 Respiratory loading, 371

 Resting metabolic rate, 335
 Rostral ventrolateral medulla, 315

 Selenium, 21
 Serum hormones, 199
 Shear stress, 285, 295
 Sheep, 85
 Shivering, 327
 Skeletal muscle, 1, 21, 27, 233, 243
 Skinned muscle fibres, 27, 243
 Slow-twitch fibres, 233
 Small intestine, 387
 Smooth muscle, 37
 Sodium, 77
 Sodium transport, 69
 Solvent drag, 393
 Somatostatin, 219
 Sonomicrometry, 455
 Sows, 413
 Spermidine, 37
 Spermine, 37
 Spontaneous contractions, 227
 Starvation, 335
 Substance P, 341, 357
 Substance P receptor blocker, 387
 Substance P, 387
 Sulpiride, 101
 Sympathetic nerve stimulation, 1
 Sympathetic nerves, 403
 Synaptic potentials, 109
 Synaptosomes, 115

 Tachykinins, 387
 Taenia coli, 227
 Technetium pyrophosphate, 187
 Temperature, 253
 Temperature regulation, 327
 Tension response, 227
 Thalamus, 109
 Thermosensitivity, 327
 Translocation, 463
 Tubuloglomerular feedback, 63, 359

 Ureteral occlusion, 131
 Urethra, 431
 Urine, 353

 Vascular smooth muscle, 265
 Vasoconstriction, 1, 441
 Vasomotion, 153
 Vasopressin, 85
 Venos constriction, 273
 Ventral respiratory group, 315
 Ventricular myocyte, 177
 Veratridine, 115
 VIP, 403
 Volume distribution, 125
 Y₁ receptor agonists, 1
 Y₂ receptor agonists, 1

